



Rep. Dan Brady

Filed: 5/3/2019

10100SB1371ham001

LRB101 09338 AXK 60152 a

1 AMENDMENT TO SENATE BILL 1371

2 AMENDMENT NO. _____. Amend Senate Bill 1371 by replacing
3 everything after the enacting clause with the following:

4 "Section 5. The School Code is amended by adding Sections
5 10-20.69 and 34-18.61 as follows:

6 (105 ILCS 5/10-20.69 new)

7 Sec. 10-20.69. Door security locking means.

8 (a) In this Section, "door security locking means" means a
9 door locking means intended for use by a trained school
10 district employee in a school building for the purpose of
11 preventing ingress through a door of the building.

12 (b) A school district may install a door security locking
13 means on a door of a school building to prevent unwanted entry
14 through the door if all of the following requirements are met:

15 (1) The door security locking means can be engaged
16 without opening the door.

1 (2) The unlocking and unlatching of the door security
2 locking means from the occupied side of the door can be
3 accomplished without the use of a key or tool.

4 (3) The door security locking means complies with all
5 applicable State and federal accessibility requirements.

6 (4) Locks, if remotely engaged, can be unlocked from
7 the occupied side.

8 (5) The door security locking means is capable of being
9 disengaged from the outside by school district employees,
10 and school district employees may use a key or other
11 credentials to unlock the door from the outside.

12 (6) The door security locking means does not modify the
13 door-closing hardware, panic hardware, or fire exit
14 hardware.

15 (7) Any bolts, stops, brackets, or pins employed by the
16 door security locking means do not affect the fire rating
17 of a fire door assembly.

18 (8) School district employees are trained in the
19 engagement and release of the door security locking means,
20 from within and outside the room, as part of the emergency
21 response plan.

22 (9) For doors installed before July 1, 2019 only, the
23 unlocking and unlatching of a door security locking means
24 requires no more than 2 releasing operations. For doors
25 installed on or after July 1, 2019, the unlocking and
26 unlatching of a door security locking means requires no

1 more than one releasing operation. If doors installed
2 before July 1, 2019 are replaced on or after July 1, 2019,
3 the unlocking and unlatching of a door security locking
4 means on the replacement door requires no more than one
5 releasing operation.

6 (10) The door security locking means is no more than 48
7 inches above the finished floor.

8 (11) The door security locking means otherwise
9 complies with the school building code prepared by the
10 State Board of Education under Section 2-3.12.

11 A school district may install a door security locking means
12 that does not comply with paragraph (3) or (10) of this
13 subsection if (i) the school district meets all other
14 requirements under this subsection and (ii) prior to its
15 installation, local law enforcement officials, the local fire
16 department, and the school board agree, in writing, to the
17 installation and use of the door security locking means. The
18 school district must keep the agreement on file and must, upon
19 request, provide the agreement to its regional office of
20 education. The agreement must be included in the school
21 district's filed school safety plan under the School Safety
22 Drill Act.

23 (c) A school district must include the location of any door
24 security locking means and must address the use of the locking
25 and unlocking means from within and outside the room in its
26 filed school safety plan under the School Safety Drill Act.

1 Local law enforcement officials and the local fire department
2 must be notified of the location of any door security locking
3 means and how to disengage it. Any specific tool needed to
4 disengage the door security locking means from the outside of
5 the room must, upon request, be made available to local law
6 enforcement officials and the local fire department.

7 (d) A door security locking means may be used only (i) by a
8 school district employee trained under subsection (e), (ii)
9 during an emergency that threatens the health and safety of
10 students and employees or during an active shooter drill, and
11 (iii) when local law enforcement officials and the local fire
12 department have been notified of its installation prior to its
13 use. The door security locking means must be engaged for a
14 finite period of time in accordance with the school district's
15 school safety plan adopted under the School Safety Drill Act.

16 (e) A school district that has installed a door security
17 locking means shall conduct an in-service training program for
18 school district employees on the proper use of the door
19 security locking means. The school district shall keep a file
20 verifying the employees who have completed the program and
21 must, upon request, provide the file to its regional office of
22 education and the local fire department and local law
23 enforcement agency.

24 (f) A door security locking means that requires 2 releasing
25 operations must be discontinued from use when the door is
26 replaced or is a part of new construction. Replacement and new

1 construction door hardware must include mortise locks,
2 compliant with the applicable building code, and must be
3 lockable from the occupied side without opening the door.
4 However, mortise locks are not required if panic hardware or
5 fire exit hardware is required.

6 (105 ILCS 5/34-18.61 new)

7 Sec. 34-18.61. Door security locking means.

8 (a) In this Section, "door security locking means" means a
9 door locking means intended for use by a trained school
10 district employee in a school building for the purpose of
11 preventing ingress through a door of the building.

12 (b) The school district may install a door security locking
13 means on a door of a school building to prevent unwanted entry
14 through the door if all of the following requirements are met:

15 (1) The door security locking means can be engaged
16 without opening the door.

17 (2) The unlocking and unlatching of the door security
18 locking means from the occupied side of the door can be
19 accomplished without the use of a key or tool.

20 (3) The door security locking means complies with all
21 applicable State and federal accessibility requirements.

22 (4) Locks, if remotely engaged, can be unlocked from
23 the occupied side.

24 (5) The door security locking means is capable of being
25 disengaged from the outside by school district employees,

1 and school district employees may use a key or other
2 credentials to unlock the door from the outside.

3 (6) The door security locking means does not modify the
4 door-closing hardware, panic hardware, or fire exit
5 hardware.

6 (7) Any bolts, stops, brackets, or pins employed by the
7 door security locking means do not affect the fire rating
8 of a fire door assembly.

9 (8) School district employees are trained in the
10 engagement and release of the door security locking means,
11 from within and outside the room, as part of the emergency
12 response plan.

13 (9) For doors installed before July 1, 2019 only, the
14 unlocking and unlatching of a door security locking means
15 requires no more than 2 releasing operations. For doors
16 installed on or after July 1, 2019, the unlocking and
17 unlatching of a door security locking means requires no
18 more than one releasing operation. If doors installed
19 before July 1, 2019 are replaced on or after July 1, 2019,
20 the unlocking and unlatching of a door security locking
21 means on the replacement door requires no more than one
22 releasing operation.

23 (10) The door security locking means is no more than 48
24 inches above the finished floor.

25 (11) The door security locking means otherwise
26 complies with the school building code prepared by the

1 State Board of Education under Section 2-3.12.

2 The school district may install a door security locking
3 means that does not comply with paragraph (3) or (10) of this
4 subsection if (i) the school district meets all other
5 requirements under this subsection and (ii) prior to its
6 installation, local law enforcement officials, the local fire
7 department, and the board agree, in writing, to the
8 installation and use of the door security locking means. The
9 school district must keep the agreement on file and must, upon
10 request, provide the agreement to the State Board of Education.
11 The agreement must be included in the school district's filed
12 school safety plan under the School Safety Drill Act.

13 (c) The school district must include the location of any
14 door security locking means and must address the use of the
15 locking and unlocking means from within and outside the room in
16 its filed school safety plan under the School Safety Drill Act.
17 Local law enforcement officials and the local fire department
18 must be notified of the location of any door security locking
19 means and how to disengage it. Any specific tool needed to
20 disengage the door security locking means from the outside of
21 the room must, upon request, be made available to local law
22 enforcement officials and the local fire department.

23 (d) A door security locking means may be used only (i) by a
24 school district employee trained under subsection (e), (ii)
25 during an emergency that threatens the health and safety of
26 students and employees or during an active shooter drill, and

1 (iii) when local law enforcement officials and the local fire
2 department have been notified of its installation prior to its
3 use. The door security locking means must be engaged for a
4 finite period of time in accordance with the school district's
5 school safety plan adopted under the School Safety Drill Act.

6 (e) If the school district installs a door security locking
7 means, it must conduct an in-service training program for
8 school district employees on the proper use of the door
9 security locking means. The school district shall keep a file
10 verifying the employees who have completed the program and
11 must, upon request, provide the file to the local fire
12 department and local law enforcement agency.

13 (f) A door security locking means that requires 2 releasing
14 operations must be discontinued from use when the door is
15 replaced or is a part of new construction. Replacement and new
16 construction door hardware must include mortise locks,
17 compliant with the applicable building code, and must be
18 lockable from the occupied side without opening the door.
19 However, mortise locks are not required if panic hardware or
20 fire exit hardware is required.

21 Section 99. Effective date. This Act takes effect July 1,
22 2019."