17

18

19

20

21

22

23

1 AN ACT concerning transportation.

Be it enacted by the People of the State of Illinois, represented in the General Assembly:

- Section 5. The Illinois Vehicle Code is amended by changing Sections 11-804, 12-208, and 12-212 as follows:
- 6 (625 ILCS 5/11-804) (from Ch. 95 1/2, par. 11-804)
- 7 Sec. 11-804. When signal required.
- 8 (a) No person may turn a vehicle at an intersection unless 9 the vehicle is in proper position upon the highway roadway as required in Section 11-801 or turn a vehicle to enter a private 10 road or driveway, or otherwise turn a vehicle from a direct 11 course or move right or left upon a roadway unless and until 12 such movement can be made with reasonable safety. No person 13 14 may so turn any vehicle without giving an appropriate signal in the manner hereinafter provided. 15
 - (b) A signal of intention to turn right or left, change lanes, otherwise turn a vehicle from a direct course, move right or left upon a highway, or when required must be given continuously during not less than the last 100 feet traveled by the vehicle before turning within a business or residence district, and such signal must be given continuously during not less than the last 200 feet traveled by the vehicle before turning outside a business or residence district.

2

3

4

5

- (c) No person may stop or suddenly decrease the speed of a vehicle without first giving an appropriate signal in the manner provided in this Chapter to the driver of any vehicle immediately to the rear when there is opportunity to give such a signal.
- 6 (d) The electric turn signal device required in Section 7 12-208 of this Act must be used and operated as prescribed in 8 subsection (b) of this Section to indicate an intention to 9 turn, change lanes, turn a vehicle from a direct course, move 10 right or left upon a highway, or start from a parallel parked 11 position. Unless the conditions of subsection (b) of this 12 Section are met, an electric turn signal device required in 13 Section 12-208 shall not be left in the on position and but must not be flashed on one side only on a parked or disabled 14 15 vehicle or flashed as a courtesy or "do pass" signal to 16 operators of other vehicles approaching from the rear. 17 However, such signal devices may be flashed simultaneously on both sides of a motor vehicle to indicate the presence of a 18 19 vehicular traffic hazard requiring unusual care in 20 approaching, overtaking and passing.
- 21 (Source: P.A. 78-1297.)
- 22 (625 ILCS 5/12-208) (from Ch. 95 1/2, par. 12-208)
- Sec. 12-208. Signal lamps and signal devices.
- 24 (a) Every vehicle other than an antique vehicle displaying 25 an antique plate or an expanded-use antique vehicle displaying

2

3

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

expanded-use antique vehicle plates operated in this State shall be equipped with a stop lamp or lamps on the rear of the vehicle which shall display a red or amber light visible from a distance of not less than 500 feet to the rear in normal sunlight and which shall be actuated upon application of the brake, and which may but need not (foot) incorporated with other rear lamps. During times when lighted lamps are not required, an antique vehicle or an expanded-use antique vehicle may be equipped with a stop lamp or lamps on the rear of such vehicle of the same type originally installed by the manufacturer as original equipment and in working order. However, at all other times, except as provided in subsection (a-1), such antique vehicle or expanded-use antique vehicle must be equipped with stop lamps meeting requirements of Section 12-208 of this Act.

- (a-1) A motorcycle or an antique vehicle or an expanded-use antique vehicle, including an antique motorcycle, may display a blue light or lights of up to one inch in diameter as part of the vehicle's rear stop lamp or lamps.
- (b) Every motor vehicle other than an antique vehicle displaying an antique plate or an expanded-use antique vehicle displaying expanded-use antique vehicle plates shall be equipped with an electric turn signal device which shall indicate the intention of the driver to turn to the right or to the left, change lanes, turn a vehicle, or otherwise turn or maneuver a vehicle from a direct course of travel in the form

of flashing lights located at and showing to the front and rear of the vehicle on the side of the vehicle toward which the turn is to be made. The lamps showing to the front shall be mounted on the same level and as widely spaced laterally as practicable and, when signaling, shall emit a white or amber light, or any shade of light between white and amber. The lamps showing to the rear shall be mounted on the same level and as widely spaced laterally as practicable and, when signaling, shall emit a red or amber light. An antique vehicle or expanded-use antique vehicle shall be equipped with a turn signal device of the same type originally installed by the manufacturer as original equipment and in working order.

- (c) Every trailer and semitrailer shall be equipped with an electric turn signal device which indicates the intention of the driver in the power unit to turn to the right or to the left in the form of flashing red or amber lights located at the rear of the vehicle on the side toward which the turn is to be made and mounted on the same level and as widely spaced laterally as practicable.
- 20 (d) Turn signal lamps must be visible from a distance of 21 not less than 300 feet in normal sunlight.
 - (e) Motorcycles and motor-driven cycles need not be equipped with electric turn signals. Antique vehicles and expanded-use antique vehicles need not be equipped with turn signals unless such were installed by the manufacturer as original equipment.

- 1 (f) (Blank).
- 2 (g) Motorcycles and motor-driven cycles may be equipped
- 3 with a stop lamp or lamps on the rear of the vehicle that
- 4 display a red or amber light, visible from a distance of not
- 5 less than 500 feet to the rear in normal sunlight, that flashes
- 6 and becomes steady only when the brake is actuated.
- 7 (h) Electric turn signal lamps shall not be flashed or
- 8 left in the on position other than to indicate the intention of
- 9 <u>a driver to turn a vehicle left or right, change lanes, or</u>
- 10 <u>otherwise turn or maneuver a vehicle from a direct course of</u>
- 11 travel.
- 12 (Source: P.A. 99-598, eff. 1-1-17.)
- 13 (625 ILCS 5/12-212) (from Ch. 95 1/2, par. 12-212)
- 14 Sec. 12-212. Special restrictions on lamps.
- 15 (a) No person shall drive or move any vehicle or equipment
- 16 upon any highway with any lamp or device on the vehicle or
- 17 equipment displaying a red light visible from directly in
- 18 front of the vehicle or equipment except as otherwise provided
- 19 in this Act.
- 20 (b) Subject to the restrictions of this Act, flashing
- 21 lights are prohibited on motor vehicles except as expressly
- 22 authorized in this Chapter or as a means for indicating a right
- or left turn, lane change, or a maneuver of a vehicle from a
- 24 direct course of travel as provided in Section 12-208 or the
- 25 presence of a vehicular traffic hazard requiring unusual care

- 1 as expressly provided in Sections 11-804 or 12-215.
- 2 (c) Unless otherwise expressly authorized by this Code,
- 3 all other lighting or combination of lighting on any vehicle
- 4 shall be prohibited.
- 5 (d) No person shall drive or move any motor vehicle or
- 6 equipment upon any highway with any lighting or combination of
- 7 lighting with a smoked or tinted lens or cover.
- 8 (Source: P.A. 101-189, eff. 1-1-20.)
- 9 Section 99. Effective date. This Act takes effect upon
- 10 becoming law.