

## 94TH GENERAL ASSEMBLY State of Illinois 2005 and 2006 HB1393

Introduced 2/9/2005, by Rep. James D. Brosnahan

## SYNOPSIS AS INTRODUCED:

625 ILCS 5/11-1202 625 ILCS 5/12-815.2 new from Ch. 95 1/2, par. 11-1202

Amends the Illinois Vehicle Code. Provides that the driver of any bus that meets specified requirements for a school bus must, in addition to following all other required procedures, turn off all noise producing accessories before crossing a railroad track or tracks. Provides that any school bus manufactured on or after January 1, 2006 must be equipped with a noise suppression switch capable of turning off noise producing accessories.

LRB094 03528 DRH 33737 b

FISCAL NOTE ACT MAY APPLY

STATE MANDATES ACT MAY REQUIRE REIMBURSEMENT 1 AN ACT concerning transportation.

## Be it enacted by the People of the State of Illinois, represented in the General Assembly:

- Section 5. The Illinois Vehicle Code is amended by changing Section 11-1202 and by adding Section 12-815.2 as follows:
- 6 (625 ILCS 5/11-1202) (from Ch. 95 1/2, par. 11-1202)
- Sec. 11-1202. Certain vehicles must stop at all railroad grade crossings.
  - (a) The driver of any of the following vehicles shall, before crossing a railroad track or tracks at grade, stop such vehicle within 50 feet but not less than 15 feet from the nearest rail and, while so stopped, shall listen and look for the approach of a train and shall not proceed until such movement can be made with safety:
    - 1. Any second division vehicle carrying passengers for hire;
    - 2. Any bus that meets all of the special requirements for school buses in Sections 12-801, 12-803, and 12-805 of this Code. The driver of the bus, in addition to complying with all other applicable requirements of this subsection (a), must also turn off all noise producing accessories, including heater blowers, defroster fans, auxiliary fans, and radios, before crossing a railroad track or tracks;
    - 3. Any other vehicle which is required by Federal or State law to be placarded when carrying as a cargo or part of a cargo hazardous material as defined in the "Illinois Hazardous Materials Transportation Act".
  - After stopping as required in this Section, the driver shall proceed only in a gear not requiring a change of gears during the crossing, and the driver shall not shift gears while crossing the track or tracks.
    - (b) This Section shall not apply:

3

4

5

6

7

8

9

10

11

12

13

14

1	1.	At	any	railroad	grade	crossing	where	traffic	is
2	control	led	by a	police of	fficer	or flagper	son;		

- 2. At any railroad grade crossing controlled by a functioning traffic-control signal transmitting a green indication which, under law, permits the vehicle to proceed across the railroad tracks without slowing or stopping, except that subsection (a) shall apply to any school bus;
- 3. At any streetcar grade crossing within a business or residence district; or
- 4. At any abandoned, industrial or spur track railroad grade crossing designated as exempt by the Illinois Commerce Commission and marked with an official sign as authorized in the State Manual on Uniform Traffic Control Devices for Streets and Highways.
- 15 (Source: P.A. 89-658, eff. 1-1-97.)
- 16 (625 ILCS 5/12-815.2 new)
- Sec. 12-815.2. Noise suppression switch. Any school bus
  manufactured on or after January 1, 2006 must be equipped with
  a noise suppression switch capable of turning off noise
  producing accessories, including: heater blowers; defroster
- 21 fans; auxiliary fans; and radios.