



Executive Committee

**Filed: 3/7/2007**

09500HB1279ham001

LRB095 09129 DRJ 32604 a

1 AMENDMENT TO HOUSE BILL 1279

2 AMENDMENT NO. \_\_\_\_\_. Amend House Bill 1279 on page 3, by  
3 replacing lines 7 through 11 with the following:

4 "trained AED user on staff and present during all physical  
5 fitness activities. For purposes of this Act, "trained AED  
6 user" has the meaning ascribed to that term in Section 10 of  
7 the Automated External Defibrillator Act.

8 (b-5) The Department shall adopt rules that encourage any  
9 non-employee coach, non-employee instructor, or other  
10 similarly situated non-employee anticipated rescuer who uses a  
11 physical fitness facility in conjunction with the supervision  
12 of physical fitness activities to complete a course of  
13 instruction that would qualify such a person as a trained AED  
14 user, as defined in Section 10 of the Automated External  
15 Defibrillator Act.

16 (b-10) In the case of an outdoor physical fitness facility,  
17 the AED must be housed in a building, if any, that is within  
18 300 feet of the outdoor facility where an event or activity is

1 being conducted. If there is such a building within the  
2 required distance, the building must provide unimpeded and open  
3 access to the housed AED, and the building's entrances shall  
4 further provide marked directions to the housed AED. If there  
5 is no such building, the person responsible"; and

6 on page 3, line 21, by replacing "indoor" with "~~indoor~~".