

1 AN ACT concerning transportation.

2 **Be it enacted by the People of the State of Illinois,**
3 **represented in the General Assembly:**

4 Section 5. The Illinois Vehicle Code is amended by changing
5 Section 15-107 as follows:

6 (625 ILCS 5/15-107) (from Ch. 95 1/2, par. 15-107)

7 Sec. 15-107. Length of vehicles.

8 (a) The maximum length of a single vehicle on any highway
9 of this State may not exceed 42 feet except the following:

10 (1) Semitrailers.

11 (2) Charter or regulated route buses may be up to 45
12 feet in length, not including energy absorbing bumpers.

13 (a-1) A motor home as defined in Section 1-145.01 may be up
14 to 45 feet in length, not including energy absorbing bumpers.
15 The length limitations described in this subsection (a-1) shall
16 be exclusive of energy-absorbing bumpers and rear view mirrors.

17 (b) On all non-State highways, the maximum length of
18 vehicles in combinations is as follows:

19 (1) A truck tractor in combination with a semitrailer
20 may not exceed 55 feet overall dimension.

21 (2) A truck tractor-semitrailer-trailer or truck
22 tractor semitrailer-semitrailer may not exceed 60 feet
23 overall dimension.

1 (3) Combinations specially designed to transport motor
2 vehicles or boats may not exceed 60 feet overall dimension.

3 Vehicles operating during daylight hours when transporting
4 poles, pipes, machinery, or other objects of a structural
5 nature that cannot readily be dismembered are exempt from
6 length limitations, provided that no object may exceed 80 feet
7 in length and the overall dimension of the vehicle including
8 the load may not exceed 100 feet. This exemption does not apply
9 to operation on a Saturday, Sunday, or legal holiday. Legal
10 holidays referred to in this Section are the days on which the
11 following traditional holidays are celebrated: New Year's Day;
12 Memorial Day; Independence Day; Labor Day; Thanksgiving Day;
13 and Christmas Day.

14 Vehicles and loads operated by a public utility while en
15 route to make emergency repairs to public service facilities or
16 properties are exempt from length limitations, provided that
17 during night operations every vehicle and its load must be
18 equipped with a sufficient number of clearance lamps on both
19 sides and marker lamps on the extreme ends of any projecting
20 load to clearly mark the dimensions of the load.

21 A tow truck in combination with a disabled vehicle or
22 combination of disabled vehicles, as provided in paragraph (6)
23 of subsection (c) of this Section, is exempt from length
24 limitations.

25 All other combinations not listed in this subsection (b)
26 may not exceed 60 feet overall dimension.

1 (c) Except as provided in subsections (c-1) and (c-2),
2 combinations of vehicles may not exceed a total of 2 vehicles
3 except the following:

4 (1) A truck tractor semitrailer may draw one trailer.

5 (2) A truck tractor semitrailer may draw one converter
6 dolly or one semitrailer.

7 (3) A truck tractor semitrailer may draw one vehicle
8 that is defined in Chapter 1 as special mobile equipment,
9 provided the overall dimension does not exceed 60 feet.

10 (4) A truck in transit may draw 3 trucks in transit
11 coupled together by the triple saddlemount method.

12 (5) Recreational vehicles consisting of 3 vehicles,
13 provided the following:

14 (A) The total overall dimension does not exceed 60
15 feet.

16 (B) The towing vehicle is a properly registered
17 vehicle capable of towing another vehicle using a
18 fifth-wheel type assembly.

19 (C) The second vehicle in the combination of
20 vehicles is a recreational vehicle that is towed by a
21 fifth-wheel assembly. This vehicle must be properly
22 registered and must be equipped with brakes,
23 regardless of weight.

24 (D) The third vehicle must be the lightest of the 3
25 vehicles and be a trailer or semitrailer designed or
26 used for transporting a boat, all-terrain vehicle,

1 personal watercraft, or motorcycle.

2 (E) The towed vehicles may be only for the use of
3 the operator of the towing vehicle.

4 (F) All vehicles must be properly equipped with
5 operating brakes and safety equipment required by this
6 Code, except the additional brake requirement in
7 subdivision (C) of this subparagraph (5).

8 (6) A tow truck in combination with a disabled vehicle
9 or combination of disabled vehicles, provided the towing
10 vehicle:

11 (A) Is specifically designed as a tow truck having
12 a gross vehicle weight rating of at least 18,000 pounds
13 and equipped with air brakes, provided that air brakes
14 are required only if the towing vehicle is towing a
15 vehicle, semitrailer, or tractor-trailer combination
16 that is equipped with air brakes. For the purpose of
17 this subsection, gross vehicle weight rating, or GVWR,
18 means the value specified by the manufacturer as the
19 loaded weight of the tow truck.

20 (B) Is equipped with flashing, rotating, or
21 oscillating amber lights, visible for at least 500 feet
22 in all directions.

23 (C) Is capable of utilizing the lighting and
24 braking systems of the disabled vehicle or combination
25 of vehicles.

26 (D) Does not engage a tow exceeding 50 highway

1 miles from the initial point of wreck or disablement to
2 a place of repair. Any additional movement of the
3 vehicles may occur only upon issuance of authorization
4 for that movement under the provisions of Sections
5 15-301 through 15-319 of this Code.

6 The Department may by rule or regulation prescribe
7 additional requirements regarding length limitations for a
8 tow truck towing another vehicle.

9 For purposes of this Section, a tow-dolly that merely
10 serves as substitute wheels for another legally licensed
11 vehicle is considered part of the licensed vehicle and not
12 a separate vehicle.

13 (7) Commercial vehicles consisting of 3 vehicles,
14 provided the following:

15 (A) The total overall dimension does not exceed 65
16 feet.

17 (B) The towing vehicle is a properly registered
18 vehicle capable of towing another vehicle using a
19 fifth-wheel type assembly or a goose-neck hitch ball.

20 (C) The third vehicle must be the lightest of the 3
21 vehicles and be a trailer or semitrailer.

22 (D) All vehicles must be properly equipped with
23 operating brakes and safety equipment required by this
24 Code.

25 (E) The combination of vehicles must be operated by
26 a person who holds a commercial driver's license (CDL).

1 (F) The combination of vehicles must be en route to
2 a location where new or used trailers are sold by an
3 Illinois or out-of-state licensed new or used trailer
4 dealer.

5 (c-1) A combination of 3 vehicles is allowed access to any
6 State designated highway if:

7 (1) the length of neither towed vehicle exceeds 28.5
8 feet;

9 (2) the overall wheel base of the combination of
10 vehicles does not exceed 62 feet; and

11 (3) the combination of vehicles is en route to a
12 location where new or used trailers are sold by an Illinois
13 or out-of-state licensed new or used trailer dealer.

14 (c-2) A combination of 3 vehicles is allowed access from
15 any State designated highway onto any county, township, or
16 municipal highway for a distance of 5 highway miles for the
17 purpose of delivery or collection of one or both of the towed
18 vehicles if:

19 (1) the length of neither towed vehicle exceeds 28.5
20 feet;

21 (2) the combination of vehicles does not exceed 40,000
22 pounds in gross weight and 8 feet 6 inches in width;

23 (3) there is no sign prohibiting that access;

24 (4) the route is not being used as a thoroughfare
25 between State designated highways; and

26 (5) the combination of vehicles is en route to a

1 location where new or used trailers are sold by an Illinois
2 or out-of-state licensed new or used trailer dealer.

3 (d) On Class I highways there are no overall length
4 limitations on motor vehicles operating in combinations
5 provided:

6 (1) The length of a semitrailer, unladen or with load,
7 in combination with a truck tractor may not exceed 53 feet.

8 (2) The distance between the kingpin and the center of
9 the rear axle of a semitrailer longer than 48 feet, in
10 combination with a truck tractor, may not exceed 45 feet 6
11 inches.

12 (3) The length of a semitrailer or trailer, unladen or
13 with load, operated in a truck tractor-semitrailer-trailer
14 or truck tractor semitrailer-semitrailer combination, may
15 not exceed 28 feet 6 inches.

16 (4) Maxi-cube combinations, as defined in Chapter 1,
17 may not exceed 65 feet overall dimension.

18 (5) Combinations of vehicles specifically designed to
19 transport motor vehicles or boats may not exceed 65 feet
20 overall dimension. The length limitation is inclusive of
21 front and rear bumpers but exclusive of the overhang of the
22 transported vehicles, as provided in paragraph (i) of this
23 Section.

24 (6) Stinger steered semitrailer vehicles as defined in
25 Chapter 1, specifically designed to transport motor
26 vehicles or boats, may not exceed 75 feet overall

1 dimension. The length limitation is inclusive of front and
2 rear bumpers but exclusive of the overhang of the
3 transported vehicles, as provided in paragraph (i) of this
4 Section.

5 (7) A truck in transit transporting 3 trucks coupled
6 together by the triple saddlemount method may not exceed 75
7 feet overall dimension.

8 Vehicles operating during daylight hours when transporting
9 poles, pipes, machinery, or other objects of a structural
10 nature that cannot readily be dismembered are exempt from
11 length limitations, provided that no object may exceed 80 feet
12 in length and the overall dimension of the vehicle including
13 the load may not exceed 100 feet. This exemption does not apply
14 to operation on a Saturday, Sunday, or legal holiday. Legal
15 holidays referred to in this Section are the days on which the
16 following traditional holidays are celebrated: New Year's Day;
17 Memorial Day; Independence Day; Labor Day; Thanksgiving Day;
18 and Christmas Day.

19 Vehicles and loads operated by a public utility while en
20 route to make emergency repairs to public service facilities or
21 properties are exempt from length limitations, provided that
22 during night operations every vehicle and its load must be
23 equipped with a sufficient number of clearance lamps on both
24 sides and marker lamps on the extreme ends of any projecting
25 load to clearly mark the dimensions of the load.

26 A tow truck in combination with a disabled vehicle or

1 combination of disabled vehicles, as provided in paragraph (6)
2 of subsection (c) of this Section, is exempt from length
3 limitations.

4 The length limitations described in this paragraph (d)
5 shall be exclusive of safety and energy conservation devices,
6 such as bumpers, refrigeration units or air compressors and
7 other devices, that the Department may interpret as necessary
8 for safe and efficient operation; except that no device
9 excluded under this paragraph shall have by its design or use
10 the capability to carry cargo.

11 Section 5-35 of the Illinois Administrative Procedure Act
12 relating to procedures for rulemaking shall not apply to the
13 designation of highways under this paragraph (d).

14 (e) On Class II highways there are no overall length
15 limitations on motor vehicles operating in combinations,
16 provided:

17 (1) The length of a semitrailer, unladen or with load,
18 in combination with a truck tractor, may not exceed 53 feet
19 overall dimension.

20 (2) The distance between the kingpin and the center of
21 the rear axle of a semitrailer longer than 48 feet, in
22 combination with a truck tractor, may not exceed 45 feet 6
23 inches.

24 (3) A truck tractor-semitrailer-trailer or truck
25 tractor semitrailer-semitrailer combination may not exceed
26 65 feet in dimension from front axle to rear axle.

1 (4) The length of a semitrailer or trailer, unladen or
2 with load, operated in a truck tractor-semitrailer-trailer
3 or truck tractor semitrailer-semitrailer combination, may
4 not exceed 28 feet 6 inches.

5 (5) Maxi-cube combinations, as defined in Chapter 1,
6 may not exceed 65 feet overall dimension.

7 (6) A combination of vehicles, specifically designed
8 to transport motor vehicles or boats, may not exceed 65
9 feet overall dimension. The length limitation is inclusive
10 of front and rear bumpers but exclusive of the overhang of
11 the transported vehicles, as provided in paragraph (i) of
12 this Section.

13 (7) Stinger steered semitrailer vehicles, as defined
14 in Chapter 1, specifically designed to transport motor
15 vehicles or boats, may not exceed 75 feet overall
16 dimension. The length limitation is inclusive of front and
17 rear bumpers but exclusive of the overhang of the
18 transported vehicles, as provided in paragraph (i) of this
19 Section.

20 (8) A truck in transit transporting 3 trucks coupled
21 together by the triple saddlemount method may not exceed 75
22 feet overall dimension.

23 Vehicles operating during daylight hours when transporting
24 poles, pipes, machinery, or other objects of a structural
25 nature that cannot readily be dismembered are exempt from
26 length limitations, provided that no object may exceed 80 feet

1 in length and the overall dimension of the vehicle including
2 the load may not exceed 100 feet. This exemption does not apply
3 to operation on a Saturday, Sunday, or legal holiday. Legal
4 holidays referred to in this Section are the days on which the
5 following traditional holidays are celebrated: New Year's Day;
6 Memorial Day; Independence Day; Labor Day; Thanksgiving Day;
7 and Christmas Day.

8 Vehicles and loads operated by a public utility while en
9 route to make emergency repairs to public service facilities or
10 properties are exempt from length limitations, provided that
11 during night operations every vehicle and its load must be
12 equipped with a sufficient number of clearance lamps on both
13 sides and marker lamps on the extreme ends of any projecting
14 load to clearly mark the dimensions of the load.

15 A tow truck in combination with a disabled vehicle or
16 combination of disabled vehicles, as provided in paragraph (6)
17 of subsection (c) of this Section, is exempt from length
18 limitations.

19 Local authorities, with respect to streets and highways
20 under their jurisdiction, may also by ordinance or resolution
21 allow length limitations of this subsection (e).

22 The length limitations described in this paragraph (e)
23 shall be exclusive of safety and energy conservation devices,
24 such as bumpers, refrigeration units or air compressors and
25 other devices, that the Department may interpret as necessary
26 for safe and efficient operation; except that no device

1 excluded under this paragraph shall have by its design or use
2 the capability to carry cargo.

3 Section 5-35 of the Illinois Administrative Procedure Act
4 relating to procedures for rulemaking shall not apply to the
5 designation of highways under this paragraph (e).

6 (e-1) Combinations of vehicles not exceeding 65 feet
7 overall length are allowed access as follows:

8 (1) From any State designated highway onto any county,
9 township, or municipal highway for a distance of 5 highway
10 miles for the purpose of loading and unloading, provided:

11 (A) The vehicle does not exceed 80,000 pounds in
12 gross weight and 8 feet 6 inches in width.

13 (B) There is no sign prohibiting that access.

14 (C) The route is not being used as a thoroughfare
15 between State designated highways.

16 (2) From any State designated highway onto any county
17 or township highway for a distance of 5 highway miles or
18 onto any municipal highway for a distance of one highway
19 mile for the purpose of food, fuel, repairs, and rest,
20 provided:

21 (A) The vehicle does not exceed 80,000 pounds in
22 gross weight and 8 feet 6 inches in width.

23 (B) There is no sign prohibiting that access.

24 (C) The route is not being used as a thoroughfare
25 between State designated highways.

26 (e-2) Except as provided in subsection (e-3), combinations

1 of vehicles over 65 feet in length, with no overall length
2 limitation except as provided in subsections (d) and (e) of
3 this Section, are allowed access as follows:

4 (1) From a Class I highway onto any street or highway
5 for a distance of one highway mile for the purpose of
6 loading, unloading, food, fuel, repairs, and rest,
7 provided there is no sign prohibiting that access.

8 (2) From a Class I or Class II highway onto any State
9 highway or any locally designated highway for a distance of
10 5 highway miles for the purpose of loading, unloading,
11 food, fuel, repairs, and rest.

12 (e-3) Combinations of vehicles over 65 feet in length
13 operated by household goods carriers, with no overall length
14 limitations except as provided in subsections (d) and (e) of
15 this Section, have unlimited access to points of loading and
16 unloading.

17 (f) On Class III and other non-designated State highways,
18 the length limitations for vehicles in combination are as
19 follows:

20 (1) Truck tractor-semitrailer combinations, must
21 comply with either a maximum 55 feet overall wheel base or
22 a maximum 65 feet extreme overall dimension.

23 (2) Semitrailers, unladen or with load, may not exceed
24 53 feet overall dimension.

25 (3) No truck tractor-semitrailer-trailer or truck
26 tractor semitrailer-semitrailer combination may exceed 60

1 feet extreme overall dimension.

2 (4) The distance between the kingpin and the center
3 axle of a semitrailer longer than 48 feet, in combination
4 with a truck tractor, may not exceed 42 feet 6 inches.

5 (g) Length limitations in the preceding subsections of this
6 Section 15-107 do not apply to the following:

7 (1) Vehicles operated in the daytime, except on
8 Saturdays, Sundays, or legal holidays, when transporting
9 poles, pipe, machinery, or other objects of a structural
10 nature that cannot readily be dismembered, provided the
11 overall length of vehicle and load may not exceed 100 feet
12 and no object exceeding 80 feet in length may be
13 transported unless a permit has been obtained as authorized
14 in Section 15-301.

15 (2) Vehicles and loads operated by a public utility
16 while en route to make emergency repairs to public service
17 facilities or properties, but during night operation every
18 vehicle and its load must be equipped with a sufficient
19 number of clearance lamps on both sides and marker lamps
20 upon the extreme ends of any projecting load to clearly
21 mark the dimensions of the load.

22 (3) A tow truck in combination with a disabled vehicle
23 or combination of disabled vehicles, provided the towing
24 vehicle meets the following conditions:

25 (A) It is specifically designed as a tow truck
26 having a gross vehicle weight rating of at least 18,000

1 pounds and equipped with air brakes, provided that air
2 brakes are required only if the towing vehicle is
3 towing a vehicle, semitrailer, or tractor-trailer
4 combination that is equipped with air brakes.

5 (B) It is equipped with flashing, rotating, or
6 oscillating amber lights, visible for at least 500 feet
7 in all directions.

8 (C) It is capable of utilizing the lighting and
9 braking systems of the disabled vehicle or combination
10 of vehicles.

11 (D) It does not engage in a tow exceeding 50 miles
12 from the initial point of wreck or disablement.

13 The Department may by rule or regulation prescribe
14 additional requirements regarding length limitations for a tow
15 truck towing another vehicle. The towing vehicle, however, may
16 tow any disabled vehicle from the initial point of wreck or
17 disablement to a point where repairs are actually to occur.
18 This movement shall be valid only on State routes. The tower
19 must abide by posted bridge weight limits.

20 For the purpose of this subsection, gross vehicle weight
21 rating, or GVWR, shall mean the value specified by the
22 manufacturer as the loaded weight of the tow truck. Legal
23 holidays referred to in this Section shall be specified as the
24 day on which the following traditional holidays are celebrated:

25 New Year's Day;

26 Memorial Day;

1 Independence Day;
2 Labor Day;
3 Thanksgiving Day; and
4 Christmas Day.

5 (h) The load upon any vehicle operated alone, or the load
6 upon the front vehicle of a combination of vehicles, shall not
7 extend more than 3 feet beyond the front wheels of the vehicle
8 or the front bumper of the vehicle if it is equipped with a
9 front bumper. The provisions of this subsection (h) shall not
10 apply to any vehicle or combination of vehicles specifically
11 designed for the collection and transportation of waste,
12 garbage, or recyclable materials during the vehicle's
13 operation in the course of collecting garbage, waste, or
14 recyclable materials if the vehicle is traveling at a speed not
15 in excess of 15 miles per hour during the vehicle's operation
16 and in the course of collecting garbage, waste, or recyclable
17 materials. However, in no instance shall the load extend more
18 than 7 feet beyond the front wheels of the vehicle or the front
19 bumper of the vehicle if it is equipped with a front bumper.

20 (i) The load upon the front vehicle of a combination of
21 vehicles specifically designed to transport motor vehicles
22 shall not extend more than 3 feet beyond the foremost part of
23 the transporting vehicle and the load upon the rear
24 transporting vehicle shall not extend more than 4 feet beyond
25 the rear of the bed or body of the vehicle. This paragraph
26 shall only be applicable upon highways designated in paragraphs

1 (d) and (e) of this Section.

2 (j) Articulated vehicles comprised of 2 sections, neither
3 of which exceeds a length of 42 feet, designed for the carrying
4 of more than 10 persons, may be up to 60 feet in length, not
5 including energy absorbing bumpers, provided that the vehicles
6 are:

7 1. operated by or for any public body or motor carrier
8 authorized by law to provide public transportation
9 services; or

10 2. operated in local public transportation service by
11 any other person and the municipality in which the service
12 is to be provided approved the operation of the vehicle.

13 (j-1) (Blank).

14 (k) Any person who is convicted of violating this Section
15 is subject to the penalty as provided in paragraph (b) of
16 Section 15-113.

17 (l) (Blank).

18 (Source: P.A. 96-34, eff. 1-1-10; 96-37, eff. 7-13-09; 96-1352,
19 eff. 7-28-10.)

20 Section 99. Effective date. This Act takes effect upon
21 becoming law.