99TH GENERAL ASSEMBLY

State of Illinois

2015 and 2016

SB0070

Introduced 1/28/2015, by Sen. Wm. Sam McCann

SYNOPSIS AS INTRODUCED:

| 625 ILCS 5/11-1507 | from Ch. 95 1/2, par. 11-1507 |
|----------------------|---------------------------------|
| 625 ILCS 5/11-1507.1 | from Ch. 95 1/2, par. 11-1507.1 |
| 625 ILCS 5/12-201 | from Ch. 95 1/2, par. 12-201 |

Amends the Illinois Vehicle Code. Requires every low-speed electric bicycle to at all times be equipped with a lamp visible from the front. Requires every moped to be equipped with a lamp. Requires every motorcycle, motor-driven cycle, moped, and low-speed electric bicycle to at all times have at least one lighted lamp when operating on a highway in this State.

LRB099 03671 RJF 23682 b

SB0070

1

7

AN ACT concerning transportation.

2 Be it enacted by the People of the State of Illinois, 3 represented in the General Assembly:

Section 5. The Illinois Vehicle Code is amended by changing
Sections 11-1507, 11-1507.1, and 12-201 as follows:

6 (625 ILCS 5/11-1507) (from Ch. 95 1/2, par. 11-1507)

Sec. 11-1507. Lamps and other equipment on bicycles.

8 (a) Every bicycle when in use at nighttime and every 9 low-speed bicycle at all times, shall be equipped with a lamp on the front which shall emit a white light visible from a 10 distance of at least 500 feet to the front and with a red 11 reflector on the rear of a type approved by the Department 12 which shall be visible from all distances from 100 feet to 600 13 14 feet to the rear when directly in front of lawful lower beams of headlamps on a motor vehicle. A lamp emitting a red light 15 16 visible from a distance of 500 feet to the rear may be used in 17 addition to the red reflector.

(b) A bicycle shall not be equipped with nor shall any person use upon a bicycle any siren. This subsection (b) does not apply to a bicycle that is a police vehicle or fire department vehicle.

(c) Every bicycle shall be equipped with a brake which willadequately control movement of and stop and hold such bicycle.

- 2 - LRB099 03671 RJF 23682 b

1 (d) No person shall sell a new bicycle or pedal for use on 2 a bicycle that is not equipped with a reflex reflector 3 conforming to specifications prescribed by the Department, on 4 each pedal, visible from the front and rear of the bicycle 5 during darkness from a distance of 200 feet.

6 (e) No person shall sell or offer for sale a new bicycle that is not equipped with side reflectors. Such reflectors 7 8 shall be visible from each side of the bicycle from a distance 9 of 500 feet and shall be essentially colorless or red to the 10 rear of the center of the bicycle and essentially colorless or 11 amber to the front of the center of the bicycle provided. The 12 requirements of this paragraph may be met by reflective 13 materials which shall be at least 3/16 of an inch wide on each side of each tire or rim to indicate as clearly as possible the 14 15 continuous circular shape and size of the tires or rims of such 16 bicycle and which reflective materials may be of the same color 17 on both the front and rear tire or rim. Such reflectors shall conform to specifications prescribed by the Department. 18

(f) No person shall sell or offer for sale a new bicycle that is not equipped with an essentially colorless front-facing reflector.

22 (Source: P.A. 95-28, eff. 8-7-07.)

(625 ILCS 5/11-1507.1) (from Ch. 95 1/2, par. 11-1507.1)
Sec. 11-1507.1. Lamps on mopeds. Every moped, when in use
at nighttime, shall be equipped with a lamp on the front which

SB0070

shall emit a white light visible from a distance of at least 1 2 500 feet to the front, and with a red reflector on the rear of a 3 type approved by the Department which shall be visible from all distances from 100 feet to 600 feet to the rear when in front 4 5 of lawful, low-powered beams of head lamps on a motor vehicle. A lamp emitting a red light visible from a distance of 500 feet 6 7 to the rear may be used in addition to the red reflector. (Source: P.A. 96-554, eff. 1-1-10.) 8

9 (625 ILCS 5/12-201) (from Ch. 95 1/2, par. 12-201)

Sec. 12-201. When lighted lamps are required.

10

11 (a) When operated upon any highway in this State, every 12 motorcycle, motor-driven cycle, moped, and low-speed electric bicycle shall at all times exhibit at least one lighted lamp, 13 14 showing a white light visible for at least 500 feet in the 15 direction the motorcycle, motor-driven cycle, moped, or 16 low-speed electric bicycle is proceeding. However, in lieu of the such lighted lamp, a motorcycle, motor-driven cycle, moped, 17 18 or low-speed electric bicycle may be equipped with and use a 19 means of modulating the upper beam of the head lamp between 20 high and a lower brightness. No such head lamp shall be 21 modulated, except to otherwise comply with this Code, during 22 times when lighted lamps are required for other motor vehicles.

(b) All other motor vehicles shall exhibit at least 2
lighted head lamps, with at least one on each side of the front
of the vehicle, which satisfy United States Department of

Transportation requirements, showing white lights, including 1 2 that emitted by high intensity discharge (HID) lamps, or lights of a yellow or amber tint, during the period from sunset to 3 sunrise, at times when rain, snow, fog, or other atmospheric 4 5 conditions require the use of windshield wipers, and at any 6 other times when, due to insufficient light or unfavorable atmospheric conditions, persons and vehicles on the highway are 7 8 not clearly discernible at a distance of 1000 feet. Parking 9 lamps may be used in addition to but not in lieu of such head 10 lamps. Every motor vehicle, trailer, or semi-trailer shall also 11 exhibit at least 2 lighted lamps, commonly known as tail lamps, 12 which shall be mounted on the left rear and right rear of the 13 vehicle so as to throw a red light visible for at least 500 14 feet in the reverse direction, except that a truck tractor or 15 road tractor manufactured before January 1, 1968 and all 16 motorcycles need be equipped with only one such tail lamp.

17 (c) Either a tail lamp or a separate lamp shall be so constructed and placed as to illuminate with a white light a 18 19 rear registration plate when required and render it clearly 20 legible from a distance of 50 feet to the rear. Any tail lamp or tail lamps, together with any separate lamp or lamps for 21 22 illuminating a rear registration plate, shall be so wired as to 23 be lighted whenever the head lamps or auxiliary driving lamps 24 are lighted.

(d) A person shall install only head lamps that satisfyUnited States Department of Transportation regulations and

SB0070 - 5 - LRB099 03671 RJF 23682 b

- 1 show white light, including that emitted by HID lamps, or light
- 2 of a yellow or amber tint for use by a motor vehicle.
- 3 (e) (Blank).
- 4 (Source: P.A. 96-487, eff. 1-1-10.)