92_SB0824 LRB9204858DHmb

- 1 AN ACT in relation to the Illinois Coordinate System.
- 2 Be it enacted by the People of the State of Illinois,
- 3 represented in the General Assembly:
- 4 Section 5. The Illinois Coordinate System Act is amended
- 5 by changing Sections 2, 5, and 7 as follows:
- 6 (765 ILCS 225/2) (from Ch. 133, par. 102)
- 7 Sec. 2. The system of plane coordinates which has been
- 8 established by the United States Department of Commerce,
- 9 National Oceanic and Atmospheric Administration, National
- 10 Ocean <u>Service</u>, <u>National Geodetic</u> Survey for defining and
- 11 stating the positions or locations of points on the surface
- of the earth within the State of Illinois is hereinafter to
- be known and designated as the "Illinois Coordinate System".
- 14 (Source: P.A. 83-742.)
- 15 (765 ILCS 225/5) (from Ch. 133, par. 105)
- 16 Sec. 5. The plane coordinates of a point on the earth's
- 17 surface, used in expressing the position or location of that
- 18 point in the appropriate zone of this system, consists of 2
- 19 distances, expressed in <u>units of U.S. survey</u> feet and
- 20 decimals of a foot. One of these distances, known as the
- 21 "x-coordinate", gives the position in an east-and-west
- 22 direction; the other, known as the "y-coordinate", gives the
- 23 position in a north-and-south direction. These coordinates
- 24 depend upon and conform to the coordinates, on the Illinois
- 25 Coordinate System, of the <u>monumented survey</u> triangulation-and
- 26 traverse stations of the United States National <u>Geodetic</u>
- 27 Θeean Survey within the State of Illinois, as those
- 28 coordinates have been determined by that survey.
- 29 (Source: P.A. 83-742.)

- 1 (765 ILCS 225/7) (from Ch. 133, par. 107)
- 2 Sec. 7. For purposes of more precisely defining the
- 3 Illinois Coordinate System the following <u>definitions</u>
- 4 definition by the United States National Geodetic Ocean
- 5 Survey <u>are</u> is adopted:
- 6 The Illinois Coordinate System, East Zone, is based on
- 7 the transverse Mercator projection of the North American
- 8 Datum of 1983 (NAD 83) or the Clarke spheroid of 1866 (North
- 9 <u>American Datum of 1927) (NAD 27)</u>, having a central meridian
- of eighty-eight degrees and twenty minutes West (88° =-20'W.)
- of Greenwich on which meridian the scale is set at one part
- in 40,000 too small. The origin of coordinates is at the
- intersection of the meridian eighty-eight degrees and twenty
- 14 minutes West (88° =-20'W.) of Greenwich and thirty-six
- degrees and forty minutes North (36° =-40'N.) latitude. The
- 16 origin is given the coordinates x = 300,000 meters
- 17 (984,250.000 feet) and y = 0 meters for NAD 83 and x = 0
- 18 500,000 feet and y = 0 feet for the NAD 27.
- 19 The Illinois Coordinate System, West Zone, is based on
- 20 the transverse Mercator projection of the <u>North American</u>
- 21 <u>Datum of 1983 (NAD 83) or the</u> Clarke spheroid of 1866 <u>North</u>
- 22 <u>American Datum of 1927 (NAD 27)</u>, having a central meridian of
- 23 ninety degrees and ten minutes West (90° =-10'W.) of

Greenwich, on which meridian the scale is set at one part in

- 25 17,000 too small. The origin of coordinates is at the
- 26 intersection of the meridian ninety degrees and ten minutes
- 27 West (90° =-10'W.) of Greenwich and thirty-six degrees and
- 28 forty minutes North ($36^{\circ} = -40^{\circ}N.$) latitude. The origin is
- 29 given the coordinates x = 700,000 meters (2,296,583.333 feet)
- and y = 0 meters for NAD 83 and x = 500,000 feet and y = 0
- 31 feet for the NAD 27.

24

- 32 The position of the Illinois Coordinate System is as
- marked on the ground by monumented survey triangulation-or
- 34 traverse-- stations established in conformity with standards

- 1 adopted by the United States National <u>Geodetic</u> Ocean Survey
- 2 for <u>second and higher order</u> first-order-and-second-order
- 3 work, whose geodetic positions have been rigidly adjusted on
- 4 the North American Datum (NAD 1927 or NAD 1983, or both), and
- 5 whose coordinates have been computed on the system herein
- 6 defined. Any such stations may be used for establishing a
- 7 survey connection with the Illinois Coordinate System.
- 8 (Source: P.A. 83-742.)
- 9 Section 99. Effective date. This Act takes effect upon
- 10 becoming law.